

Provisional Data for the Falls Lake Project and Upstream

Stage and Flow Data Sample Times are rounded off to the nearest hour

Date	Time	Little River		---Eno River---		-Flat River-		Beaver Dam	Falls Dam	
		Orang -Fact Flow (CFS)	Fairn -tosh Flow (CFS)	Hills- boro Flow (CFS)	Durham Stage (ft)	Flow (CFS)	Upper Bahama Flow (CFS)			Lower Bahama Flow (CFS)
18JUL2018	1600	9	?MISS	3	1.01	7	14	0	250.67	250.67
18JUL2018	1700	9	?MISS	3	1.01	7	17	0	250.66	250.64
18JUL2018	1800	10	?MISS	3	1.00	7	18	0	250.66	250.65
18JUL2018	1900	10	?MISS	3	1.00	7	18	0	250.66	250.66
18JUL2018	2000	10	?MISS	3	1.00	7	18	0	250.65	250.66
18JUL2018	2100	10	?MISS	3	1.00	7	18	0	250.65	250.64
18JUL2018	2200	10	?MISS	3	.99	6	18	0	250.65	250.63
18JUL2018	2300	10	?MISS	3	.99	6	17	0	250.64	250.63
18JUL2018	2400	10	?MISS	4	.99	6	17	0	250.64	250.63
19JUL2018	0100	9	?MISS	4	.99	6	17	0	250.63	250.63
19JUL2018	0200	9	?MISS	4	.99	6	16	0	250.64	250.63
19JUL2018	0300	9	?MISS	4	.99	6	15	0	250.63	250.64
19JUL2018	0400	9	?MISS	4	.99	6	15	0	250.62	250.63
19JUL2018	0500	9	?MISS	4	.99	6	14	0	250.63	250.62
19JUL2018	0600	9	?MISS	4	.98	6	14	0	250.62	250.62
19JUL2018	0700	9	?MISS	4	.98	6	14	0	250.62	250.62
19JUL2018	0800	9	?MISS	3	.99	6	14	0	250.61	250.63
19JUL2018	0900	9	?MISS	3	.98	6	14	0	250.62	250.62
19JUL2018	1000	9	?MISS	3	.98	6	14	0	250.61	250.61
19JUL2018	1100	9	?MISS	3	.98	6	14	0	250.61	250.59
19JUL2018	1200	9	?MISS	3	.97	6	14	0	250.61	250.58
19JUL2018	1300	9	?MISS	3	.99	6	14	0	250.60	250.59
19JUL2018	1400	9	?MISS	3	.98	6	14	0	250.59	250.59
19JUL2018	1500	9	?MISS	3	.99	6	14	0	250.59	250.60
19JUL2018	1600	9	?MISS	3	.99	6	14	0	250.60	250.60
19JUL2018	1700	9	?MISS	3	1.00	7	14	0	250.60	250.58
19JUL2018	1800	9	?MISS	3	.99	6	13	0	250.59	250.57
19JUL2018	1900	9	?MISS	3	.99	6	13	0	250.58	250.56
19JUL2018	2000	9	?MISS	3	.99	6	13	0	250.58	250.56
19JUL2018	2100	8	?MISS	3	.99	6	13	0	250.58	250.56
19JUL2018	2200	8	?MISS	3	.98	6	12	0	250.58	250.57
19JUL2018	2300	8	?MISS	3	.98	6	12	0	250.58	250.58
19JUL2018	2400	8	?MISS	3	.98	6	12	0	250.57	250.57
20JUL2018	0100	8	?MISS	3	.98	6	12	0	250.56	250.54
20JUL2018	0200	8	?MISS	3	.98	6	12	0	250.56	250.52
20JUL2018	0300	8	?MISS	3	.99	6	12	0	250.56	250.54
20JUL2018	0400	8	?MISS	3	.98	6	11	0	250.56	250.56
20JUL2018	0500	8	?MISS	3	.99	6	11	0	250.57	250.57
20JUL2018	0600	8	?MISS	3	.99	6	11	0	250.56	250.56
20JUL2018	0700	8	?MISS	3	.98	6	11	0	250.55	250.55
20JUL2018	0800	8	?MISS	3	.99	6	11	0	250.54	250.52
20JUL2018	0900	8	?MISS	3	.98	6	11	0	250.55	250.51
20JUL2018	1000	8	?MISS	3	.99	6	11	0	250.55	250.53
20JUL2018	1100	8	?MISS	3	.98	6	11	0	250.54	250.54
20JUL2018	1200	8	?MISS	3	.99	6	11	0	250.54	250.54
20JUL2018	1300	8	?MISS	3	.98	6	11	0	250.53	250.51
20JUL2018	1400	8	?MISS	3	.98	6	11	0	250.53	250.49
20JUL2018	1500	8	?MISS	3	.98	6	11	0	250.53	250.50

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".

Provisional Data for the Falls Lake Project and Upstream

Stage and Flow Data Sample Times are rounded off to the nearest hour

Date	Time	Little River	Fairn	---Eno River---		-Flat River-		Beaver Dam	Falls Dam	
		Orang Fact	-tosh Flow	Hills- boro Flow	Durham Stage	Durham Flow	Upper Bahama Flow			Lower Bahama Flow
		Stage (CFS)	Flow (CFS)	Flow (CFS)	Stage (ft)	Flow (CFS)	Flow (CFS)	Elev (FTMSL)	Elev (FTMSL)	
20JUL2018	1600	8	?MISS	3	.98	6	11	0	250.52	250.52
20JUL2018	1700	8	?MISS	3	.98	6	11	0	250.52	250.50
20JUL2018	1800	8	?MISS	3	.98	6	11	0	250.51	250.50
20JUL2018	1900	8	?MISS	3	.98	6	11	0	250.51	250.47
20JUL2018	2000	8	?MISS	3	.98	6	11	0	250.51	250.47
20JUL2018	2100	8	?MISS	2	.98	6	10	0	250.51	250.49
20JUL2018	2200	8	?MISS	2	.98	6	10	0	250.51	250.51
20JUL2018	2300	8	?MISS	2	.98	6	10	0	250.51	250.51
20JUL2018	2400	8	?MISS	2	.98	6	10	0	250.51	250.50
21JUL2018	0100	8	?MISS	2	.98	6	9	0	250.50	250.49
21JUL2018	0200	8	?MISS	2	.98	6	9	0	250.51	250.48
21JUL2018	0300	8	?MISS	2	.98	6	9	0	250.51	250.50
21JUL2018	0400	8	?MISS	2	.98	6	9	0	250.50	250.53
21JUL2018	0500	8	?MISS	2	.98	6	9	0	250.49	250.53
21JUL2018	0600	8	?MISS	2	.98	6	9	0	250.50	250.50
21JUL2018	0700	8	?MISS	2	.97	6	9	0	250.50	250.47
21JUL2018	0800	8	?MISS	2	.98	6	9	0	250.48	250.49
21JUL2018	0900	8	?MISS	2	.98	6	9	0	250.48	250.50
21JUL2018	1000	8	?MISS	2	.98	6	9	0	250.49	250.52
21JUL2018	1100	8	?MISS	2	.99	6	9	0	250.50	250.53
21JUL2018	1200	8	?MISS	2	1.00	7	9	0	250.49	250.52
21JUL2018	1300	8	?MISS	2	?MISS	?MISS	8	0	250.50	250.51
21JUL2018	1400	8	?MISS	2	1.00	7	8	0	250.50	250.53
21JUL2018	1500	8	?MISS	2	1.00	7	8	0	250.49	250.53
21JUL2018	1600	8	?MISS	2	1.01	7	8	0	250.47	250.51
21JUL2018	1700	8	?MISS	2	1.00	7	8	0	250.48	250.48
21JUL2018	1800	8	?MISS	2	1.00	7	8	0	250.48	250.50
21JUL2018	1900	8	?MISS	2	.99	6	8	0	250.47	250.51
21JUL2018	2000	8	?MISS	2	.99	6	8	0	250.47	250.48
21JUL2018	2100	8	?MISS	2	.99	6	8	0	250.46	250.45
21JUL2018	2200	7	?MISS	2	.99	6	8	0	250.46	250.43
21JUL2018	2300	7	?MISS	2	.99	6	8	0	250.45	250.43
21JUL2018	2400	7	?MISS	2	.99	6	8	0	250.45	250.43
22JUL2018	0100	7	?MISS	2	.99	6	8	0	250.45	250.44
22JUL2018	0200	7	?MISS	2	.99	6	8	0	250.45	250.44
22JUL2018	0300	8	?MISS	2	.99	6	9	0	250.46	250.45
22JUL2018	0400	8	?MISS	2	.99	6	9	0	250.44	250.44
22JUL2018	0500	8	?MISS	2	1.07	8	9	0	250.45	250.42
22JUL2018	0600	9	?MISS	4	1.15	10	9	0	250.44	250.41
22JUL2018	0700	655	?MISS	225	1.15	10	11	0	250.45	250.41
22JUL2018	0800	841	?MISS	225	1.17	10	11	0	250.44	250.44
22JUL2018	0900	798	?MISS	188	1.19	11	11	0	250.46	250.44
22JUL2018	1000	729	?MISS	157	1.24	13	348	0	250.46	250.44
22JUL2018	1100	655	?MISS	137	1.24	13	416	0	250.46	250.45
22JUL2018	1200	569	?MISS	122	1.22	12	381	0	250.46	250.44
22JUL2018	1300	472	?MISS	113	1.20	11	325	0	250.46	250.44
22JUL2018	1400	389	?MISS	?MISS	1.17	10	275	?MISS	250.45	250.43
22JUL2018	1500	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISSTR	?MISSTR

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".