

Provisional Data for the John H. Kerr Project and Island Creek Subimpoundment

Date	Time	Kerr	Kerr	Kerr	Kerr	Gross Gen (MWH)	Kerr Rainfall (inch)	Isl Crk	Isl Crk
		Inflow (CFS)	Outflow (CFS)	HW Gage Elev (NGVD29)	DCP Gage Elev (NGVD29)			HW Gage Elev (NGVD29)	DCP Gage Elev (NGVD29)
18JUL2018	1600	-23556	886	300.16	300.16	4.20	0.00	258.51	258.51
18JUL2018	1700	20365	14254	300.17	300.17	102.30	0.00	258.52	258.52
18JUL2018	1800	-10469	13973	300.13	300.12	99.30	0.00	258.51	258.51
18JUL2018	1900	25111	669	300.17	300.16	3.30	0.00	258.51	258.51
18JUL2018	2000	-18266	66	300.14	300.13	.30	0.00	258.51	258.51
18JUL2018	2100	12287	66	300.16	300.16	.30	0.00	258.51	258.51
18JUL2018	2200	56	56	300.16	300.16	.20	0.00	258.51	258.51
18JUL2018	2300	12287	66	300.18	300.18	.30	0.00	258.51	258.51
18JUL2018	2400	-6045	66	300.17	300.17	.30	0.00	258.52	258.52
19JUL2018	0100	6177	66	300.18	300.18	.30	0.00	258.45	258.45
19JUL2018	0200	6177	66	300.19	300.18	.30	0.00	258.35	258.35
19JUL2018	0300	6167	56	300.20	300.19	.20	0.00	258.26	258.26
19JUL2018	0400	6177	66	300.21	300.20	.30	0.00	258.18	258.18
19JUL2018	0500	-6045	66	300.20	300.20	.30	0.00	258.10	258.10
19JUL2018	0600	66	66	300.20	300.19	.30	0.00	258.00	258.00
19JUL2018	0700	12287	66	300.22	300.21	.30	0.00	257.95	257.95
19JUL2018	0800	-6045	66	300.21	300.20	.30	0.00	257.95	257.95
19JUL2018	0900	12287	66	300.23	300.21	.30	0.00	257.96	257.96
19JUL2018	1000	-6045	66	300.22	300.21	.30	0.00	257.96	257.96
19JUL2018	1100	6177	66	300.23	300.21	.30	0.00	257.97	257.97
19JUL2018	1200	76	76	300.23	300.21	.40	0.00	257.98	257.98
19JUL2018	1300	66	66	300.23	300.22	.30	0.00	257.98	257.98
19JUL2018	1400	76	76	300.23	300.22	.40	0.00	257.98	257.98
19JUL2018	1500	66	66	300.23	300.22	.30	0.00	257.99	257.99
19JUL2018	1600	76	76	300.23	300.22	.40	0.00	257.98	257.98
19JUL2018	1700	66	66	300.23	300.22	.30	0.00	257.98	257.98
19JUL2018	1800	6177	66	300.24	300.22	.30	0.00	257.98	257.98
19JUL2018	1900	76	76	300.24	300.22	.40	0.00	257.99	257.99
19JUL2018	2000	66	66	300.24	300.22	.30	0.00	257.98	257.98
19JUL2018	2100	66	66	300.24	300.23	.30	0.00	257.99	257.99
19JUL2018	2200	6177	66	300.25	300.23	.30	0.00	257.98	257.98
19JUL2018	2300	76	76	300.25	300.23	.40	0.00	257.99	257.99
19JUL2018	2400	66	66	300.25	300.23	.30	0.00	257.99	257.99
20JUL2018	0100	66	66	300.25	300.23	.30	0.00	257.99	257.99
20JUL2018	0200	66	66	300.25	300.23	.30	0.00	257.99	257.99
20JUL2018	0300	6177	66	300.26	300.24	.30	0.00	257.99	257.99
20JUL2018	0400	66	66	300.26	300.24	.30	0.00	257.99	257.99
20JUL2018	0500	6177	66	300.27	300.25	.30	0.00	257.99	257.99
20JUL2018	0600	66	66	300.27	300.25	.30	0.00	257.99	257.99
20JUL2018	0700	66	66	300.27	300.25	.30	0.00	257.99	257.99
20JUL2018	0800	76	76	300.27	300.25	.40	0.00	257.99	257.99
20JUL2018	0900	6177	66	300.28	300.26	.30	0.00	258.00	258.00
20JUL2018	1000	66	66	300.28	300.27	.30	0.00	258.00	258.00
20JUL2018	1100	66	66	300.28	300.26	.30	0.00	258.00	258.00
20JUL2018	1200	6177	66	300.29	300.27	.30	0.00	258.00	258.00
20JUL2018	1300	-6045	66	300.28	300.26	.30	0.00	258.01	258.01
20JUL2018	1400	66	66	300.28	300.26	.30	0.00	258.00	258.00
20JUL2018	1500	-96645	1123	300.12	300.11	5.40	0.00	258.02	258.02

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".

Provisional Data for the John H. Kerr Project and Island Creek Subimpoundment

Kerr	Kerr	Kerr	Kerr	Gross	Kerr	Isl Crk	Isl Crk
Inflow	Outflow	HW Gage	DCP Gage	Gen	Rainfall	HW Gage	DCP Gage
(CFS)	(CFS)	Elev	Elev	(MWH)	(inch)	Elev	Elev
		(NGVD29)	(NGVD29)			(NGVD29)	(NGVD29)

Date	Time	Inflow (CFS)	Outflow (CFS)	Elev (NGVD29)	Elev (NGVD29)	Gen (MWH)	Rainfall (inch)	Elev (NGVD29)	Elev (NGVD29)
20JUL2018	1600	92993	25777	300.23	300.22	180.30	0.00	258.02	258.02
20JUL2018	1700	-10653	26010	300.17	300.16	182.30	0.00	258.01	258.01
20JUL2018	1800	19802	25913	300.16	300.15	181.40	0.00	258.01	258.01
20JUL2018	1900	1071	1071	300.16	300.16	5.30	0.00	258.00	258.00
20JUL2018	2000	-18266	66	300.13	300.12	.30	0.00	258.00	258.00
20JUL2018	2100	12287	66	300.15	300.15	.30	0.00	258.00	258.00
20JUL2018	2200	-12155	66	300.13	300.12	.30	0.00	258.01	258.01
20JUL2018	2300	12287	66	300.15	300.14	.30	0.00	258.01	258.01
20JUL2018	2400	-6045	66	300.14	300.14	.30	0.00	258.01	258.01
21JUL2018	0100	12287	66	300.16	300.16	.30	0.00	258.01	258.01
21JUL2018	0200	6177	66	300.17	300.16	.30	0.00	258.01	258.01
21JUL2018	0300	6177	66	300.18	300.18	.30	0.00	258.01	258.01
21JUL2018	0400	12287	66	300.20	300.19	.30	0.00	258.01	258.01
21JUL2018	0500	66	66	300.20	300.20	.30	0.00	258.01	258.01
21JUL2018	0600	66	66	300.20	300.20	.30	0.00	258.01	258.01
21JUL2018	0700	66	66	300.20	300.20	.30	0.00	258.02	258.02
21JUL2018	0800	18398	66	300.23	300.21	.30	0.00	258.01	258.01
21JUL2018	0900	-24386	56	300.19	300.19	.20	0.00	258.01	258.01
21JUL2018	1000	30619	66	300.24	300.22	.30	0.00	258.02	258.02
21JUL2018	1100	-12155	66	300.22	300.20	.30	0.00	258.01	258.01
21JUL2018	1200	12287	66	300.24	300.23	.30	0.00	258.01	258.01
21JUL2018	1300	66	66	300.24	300.22	.30	0.00	258.02	258.02
21JUL2018	1400	-24172	270	300.20	300.19	1.30	0.00	258.02	258.02
21JUL2018	1500	15100	15100	300.20	300.20	110.30	0.00	258.02	258.02
21JUL2018	1600	2992	15213	300.18	300.18	111.20	0.00	258.01	258.01
21JUL2018	1700	-2066	16266	300.15	300.14	116.30	0.00	258.02	258.02
21JUL2018	1800	9934	16045	300.14	300.14	114.30	0.00	258.02	258.02
21JUL2018	1900	13395	1174	300.16	300.16	4.30	0.00	258.02	258.02
21JUL2018	2000	-24376	66	300.12	300.10	.30	0.00	258.02	258.02
21JUL2018	2100	6167	56	300.13	300.13	.20	0.00	258.02	258.02
21JUL2018	2200	66	66	300.13	300.12	.30	0.00	258.02	258.02
21JUL2018	2300	6177	66	300.14	300.13	.30	0.00	258.02	258.02
21JUL2018	2400	6177	66	300.15	300.14	.30	0.00	258.03	258.03
22JUL2018	0100	-6045	66	300.14	300.14	.30	0.00	258.03	258.03
22JUL2018	0200	61161	56	300.24	300.22	.20	0.00	258.12	258.12
22JUL2018	0300	-24376	66	300.20	300.19	.30	0.00	258.13	258.13
22JUL2018	0400	6177	66	300.21	300.20	.30	0.00	258.13	258.13
22JUL2018	0500	-24376	66	300.17	300.18	.30	0.00	258.13	258.13
22JUL2018	0600	36729	66	300.23	300.22	.30	0.00	258.13	258.13
22JUL2018	0700	-6035	76	300.22	300.21	.40	0.00	258.14	258.14
22JUL2018	0800	66	66	300.22	300.21	.30	0.00	258.15	258.15
22JUL2018	0900	66	66	300.22	300.21	.30	0.00	258.16	258.16
22JUL2018	1000	18398	66	300.25	300.23	.30	0.00	258.16	258.16
22JUL2018	1100	12287	66	300.27	300.25	.30	0.00	258.15	258.15
22JUL2018	1200	-12155	66	300.25	300.23	.30	0.00	258.16	258.16
22JUL2018	1300	-6045	66	300.24	300.22	.30	0.00	258.17	258.17
22JUL2018	1400	-6045	66	300.23	300.22	.30	0.00	258.18	258.18
22JUL2018	1500	0	0	?MISST	?MISST	0.00	?MISS	?MISST	?MISST

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy
nor the dependability of the above data. Data is provided "as is".