

Provisional Data for the Lower Neuse River (Part 1 from Falls Dam to Smithfield)

Stage and Flow Data Sample Times are rounded off to the nearest hour

Date	Time	Neuse River Falls Gage		Walnut Creek Raleigh		Crabtree Ck at US1		Neuse River Clayton		Smithfld
		Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)
18JUL2018	1600	1.37	214	2.51	16	.91	53	2.50	848	5.89
18JUL2018	1700	1.37	214	2.50	15	.87	50	2.43	808	6.12
18JUL2018	1800	1.37	214	2.48	14	.83	47	2.36	768	6.32
18JUL2018	1900	1.37	214	2.45	13	.80	45	2.28	723	6.48
18JUL2018	2000	1.37	214	2.44	13	.77	43	2.21	684	6.57
18JUL2018	2100	1.37	214	2.42	12	.75	41	2.15	650	6.62
18JUL2018	2200	1.37	214	2.41	11	.72	39	2.08	612	6.62
18JUL2018	2300	1.37	214	2.39	11	.71	39	2.02	579	6.59
18JUL2018	2400	1.37	214	2.38	10	.71	39	1.97	552	6.54
19JUL2018	0100	1.38	219	2.37	10	.71	39	1.92	526	6.45
19JUL2018	0200	1.38	219	2.36	9	.70	38	1.88	505	6.36
19JUL2018	0300	1.38	219	2.35	9	.70	38	1.84	484	6.26
19JUL2018	0400	1.38	219	2.33	8	.69	37	1.81	468	6.17
19JUL2018	0500	1.38	219	2.33	8	.68	37	1.78	452	6.07
19JUL2018	0600	1.37	214	2.32	8	.66	36	1.75	437	5.97
19JUL2018	0700	1.38	219	2.31	8	.65	35	1.72	421	5.88
19JUL2018	0800	1.37	214	2.30	8	.64	34	1.70	411	5.79
19JUL2018	0900	1.37	214	2.29	7	.63	34	1.68	401	5.73
19JUL2018	1000	1.37	214	2.28	7	.62	33	1.66	391	5.68
19JUL2018	1100	1.37	214	2.27	7	.62	33	1.64	381	5.61
19JUL2018	1200	1.37	214	2.27	7	.61	33	1.62	371	5.55
19JUL2018	1300	1.37	214	2.25	6	.60	32	1.60	361	5.49
19JUL2018	1400	1.37	214	2.25	6	.58	31	1.58	351	5.44
19JUL2018	1500	1.37	214	2.25	6	.58	31	1.56	341	5.39
19JUL2018	1600	1.37	214	2.24	6	.57	30	1.55	336	5.34
19JUL2018	1700	1.37	214	2.24	6	.56	30	1.54	331	5.28
19JUL2018	1800	1.37	214	2.23	6	.55	29	1.53	326	5.24
19JUL2018	1900	1.37	214	2.23	6	.55	29	1.52	322	5.20
19JUL2018	2000	1.37	214	2.23	6	.54	29	1.53	326	5.14
19JUL2018	2100	1.37	214	2.22	5	.52	27	1.53	326	5.11
19JUL2018	2200	1.37	214	2.22	5	.49	26	1.53	326	5.09
19JUL2018	2300	1.37	214	2.22	5	.47	25	1.53	326	5.05
19JUL2018	2400	1.37	214	2.21	5	.46	24	1.53	326	5.02
20JUL2018	0100	1.37	214	2.21	5	.46	24	1.52	322	4.99
20JUL2018	0200	1.38	219	2.21	5	.47	25	1.51	317	4.97
20JUL2018	0300	1.38	219	2.20	5	.49	26	1.51	317	4.95
20JUL2018	0400	1.37	214	2.19	5	.51	27	1.51	317	4.92
20JUL2018	0500	1.38	219	2.19	5	.52	27	1.51	317	4.90
20JUL2018	0600	1.37	214	2.18	4	.51	27	1.51	317	4.88
20JUL2018	0700	1.37	214	2.18	4	.51	27	1.51	317	4.88
20JUL2018	0800	1.37	214	2.17	4	.51	27	1.51	317	4.88
20JUL2018	0900	1.37	214	2.17	4	.50	26	1.51	317	4.89
20JUL2018	1000	1.37	214	2.17	4	.49	26	1.51	317	4.92
20JUL2018	1100	1.37	214	2.16	4	.48	25	1.50	312	4.90
20JUL2018	1200	1.37	214	2.16	4	.47	25	1.50	312	4.89
20JUL2018	1300	1.37	214	2.16	4	.47	25	1.49	307	4.88
20JUL2018	1400	1.37	214	2.16	4	.46	24	1.47	297	4.88
20JUL2018	1500	1.37	214	2.15	4	.46	24	1.46	293	4.87

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".

The Smithfield gage does not have official US Geological Survey stage-flow measurements. Therefore, flow values at Smithfield are only approximate and to be used with extreme caution.

Provisional Data for the Lower Neuse River (Part 1 from Falls Dam to Smithfield)
 Stage and Flow Data Sample Times are rounded off to the nearest hour

Date	Time	Neuse River Falls Gage		Walnut Creek Raleigh		Crabtree Ck at US1		Neuse River Clayton		Neuse River Smithfld
		Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)
20JUL2018	1600	1.37	214	2.15	4	.46	24	1.46	293	4.86
20JUL2018	1700	1.37	214	2.15	4	.45	24	1.45	288	4.85
20JUL2018	1800	1.37	214	2.15	4	.43	23	1.45	288	4.85
20JUL2018	1900	1.37	214	2.15	4	.41	22	1.46	293	4.86
20JUL2018	2000	1.37	214	2.15	4	.40	22	1.47	297	4.86
20JUL2018	2100	1.37	214	2.15	4	.37	20	1.47	297	4.86
20JUL2018	2200	1.37	214	2.15	4	.36	20	1.47	297	4.84
20JUL2018	2300	1.37	214	2.15	4	.34	19	1.47	297	4.82
20JUL2018	2400	1.37	214	2.15	4	.33	19	1.47	297	4.80
21JUL2018	0100	1.38	219	2.15	4	.31	18	1.48	302	4.80
21JUL2018	0200	1.37	214	2.15	4	.30	17	1.48	302	4.79
21JUL2018	0300	1.38	219	2.15	4	.30	17	1.48	302	4.79
21JUL2018	0400	1.38	219	2.15	4	.31	18	1.48	302	4.78
21JUL2018	0500	1.37	214	2.15	4	.34	19	1.48	302	4.77
21JUL2018	0600	1.37	214	2.15	4	.37	20	1.48	302	4.78
21JUL2018	0700	1.38	219	2.15	4	.39	21	1.48	302	4.78
21JUL2018	0800	1.37	214	2.15	4	.40	22	1.47	297	4.77
21JUL2018	0900	1.37	214	2.15	4	.41	22	1.47	297	4.74
21JUL2018	1000	1.38	219	2.15	4	.41	22	1.47	297	4.74
21JUL2018	1100	1.37	214	2.15	4	.40	22	1.47	297	4.75
21JUL2018	1200	1.37	214	2.15	4	.40	22	1.47	297	4.76
21JUL2018	1300	1.37	214	2.15	4	.40	22	1.45	288	4.76
21JUL2018	1400	1.37	214	2.14	3	.39	21	1.44	283	4.78
21JUL2018	1500	1.37	214	2.15	4	.38	21	1.43	278	4.80
21JUL2018	1600	1.37	214	2.14	3	.38	21	1.42	273	4.82
21JUL2018	1700	1.37	214	2.14	3	.37	20	1.42	273	4.82
21JUL2018	1800	1.37	214	2.13	3	.35	19	1.42	273	4.82
21JUL2018	1900	1.37	214	2.13	3	.35	19	1.42	273	4.81
21JUL2018	2000	1.37	214	2.13	3	.34	19	1.43	278	4.80
21JUL2018	2100	1.37	214	2.13	3	.33	19	1.43	278	4.78
21JUL2018	2200	1.37	214	2.13	3	.31	18	1.44	283	4.77
21JUL2018	2300	1.37	214	2.13	3	.29	17	1.44	283	4.76
21JUL2018	2400	1.37	214	2.13	3	.26	16	1.45	288	4.74
22JUL2018	0100	1.38	219	2.13	3	.71	39	1.50	312	4.70
22JUL2018	0200	1.38	219	2.13	3	.85	49	1.53	326	4.69
22JUL2018	0300	1.37	214	2.14	3	.93	55	1.59	356	4.73
22JUL2018	0400	1.37	214	2.14	3	1.07	69	1.58	351	4.76
22JUL2018	0500	1.38	219	2.77	30	1.00	62	1.65	386	4.77
22JUL2018	0600	1.38	219	2.77	30	1.07	69	1.92	526	4.95
22JUL2018	0700	1.38	219	2.96	43	1.24	90	2.95	1110	5.15
22JUL2018	0800	1.37	214	2.94	42	1.41	112	3.11	1210	5.16
22JUL2018	0900	1.37	214	2.90	39	1.62	140	2.70	965	5.27
22JUL2018	1000	1.37	214	3.08	54	1.76	159	2.43	808	5.41
22JUL2018	1100	1.37	214	3.25	73	1.67	147	2.27	717	5.75
22JUL2018	1200	1.38	219	3.25	73	1.54	130	2.16	656	6.35
22JUL2018	1300	1.37	214	3.15	62	1.39	110	2.10	623	6.87
22JUL2018	1400	1.38	219	3.04	50	1.29	97	2.06	601	7.14
22JUL2018	1500	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".

The Smithfield gage does not have official US Geological Survey stage-flow measurements. Therefore, flow values at Smithfield are only approximate and to be used with extreme caution.