

Provisional Data for the Lower Neuse River (Part 1 from Falls Dam to Smithfield)

Stage and Flow Data Sample Times are rounded off to the nearest hour

Date	Time	Neuse River Falls Gage		Walnut Creek Raleigh		Crabtree Ck at US1		Neuse River Clayton		Smithfld
		Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)
16OCT2018	2000	17.20	3910	2.43	14	1.62	125	6.10	3240	11.38
16OCT2018	2100	17.20	3860	2.44	15	1.61	124	6.13	3270	11.50
16OCT2018	2200	17.20	3730	2.45	15	1.59	121	6.19	3310	11.61
16OCT2018	2300	17.23	3650	2.45	15	1.57	118	6.24	3350	11.72
16OCT2018	2400	17.24	3950	2.45	15	1.55	116	6.29	3380	11.84
17OCT2018	0100	17.24	3860	2.46	16	1.54	115	6.35	3430	11.94
17OCT2018	0200	17.25	3650	2.46	16	1.53	113	6.41	3470	12.02
17OCT2018	0300	17.24	3580	2.49	17	1.52	112	6.46	3510	12.11
17OCT2018	0400	17.26	3650	2.51	18	1.51	111	6.51	3550	12.19
17OCT2018	0500	17.25	3800	2.50	17	1.50	110	6.56	3580	12.28
17OCT2018	0600	17.24	3880	2.50	17	1.50	110	6.60	3610	12.35
17OCT2018	0700	17.25	3730	2.49	17	1.49	108	6.65	3650	12.45
17OCT2018	0800	17.27	3780	2.48	16	1.48	107	6.69	3680	12.50
17OCT2018	0900	17.27	3680	2.48	16	1.46	104	6.72	3700	12.59
17OCT2018	1000	17.26	3880	2.47	16	1.45	103	6.75	3730	12.64
17OCT2018	1100	17.27	3730	2.47	16	1.43	100	6.77	3740	12.73
17OCT2018	1200	17.28	3730	2.46	16	1.41	98	6.80	3760	12.80
17OCT2018	1300	17.27	3860	2.46	16	1.39	95	6.83	3790	12.87
17OCT2018	1400	17.29	3880	2.45	15	1.38	94	6.85	3800	12.94
17OCT2018	1500	17.27	3730	2.45	15	1.37	92	6.87	3820	12.99
17OCT2018	1600	17.27	3750	2.44	15	1.35	90	6.90	3840	13.06
17OCT2018	1700	17.28	3800	2.44	15	1.34	88	6.91	3850	13.11
17OCT2018	1800	17.26	3930	2.43	14	1.36	91	6.92	3850	13.17
17OCT2018	1900	17.28	3800	2.43	14	1.37	92	6.94	3870	13.20
17OCT2018	2000	17.25	3990	2.43	14	1.37	92	6.95	3880	13.24
17OCT2018	2100	17.24	3680	2.43	14	1.37	92	6.96	3880	13.28
17OCT2018	2200	17.25	3750	2.43	14	1.36	91	6.97	3890	13.30
17OCT2018	2300	17.25	3830	2.43	14	1.36	91	6.97	3890	13.35
17OCT2018	2400	17.24	3880	2.43	14	1.35	90	6.97	3890	13.37
18OCT2018	0100	17.24	3780	2.42	14	1.34	88	6.97	3890	13.41
18OCT2018	0200	17.24	3990	2.42	14	1.33	87	6.98	3900	13.44
18OCT2018	0300	17.24	3730	2.42	14	1.32	86	6.97	3890	13.47
18OCT2018	0400	17.24	3700	2.41	13	1.32	86	6.98	3900	13.49
18OCT2018	0500	17.24	3680	2.41	13	1.31	85	6.99	3910	13.51
18OCT2018	0600	17.23	3680	2.41	13	1.30	83	6.99	3910	13.54
18OCT2018	0700	17.25	3700	2.40	13	1.30	83	6.99	3910	13.55
18OCT2018	0800	17.22	3830	2.40	13	1.29	82	6.99	3910	13.56
18OCT2018	0900	17.21	3750	2.40	13	1.29	82	7.00	3910	13.57
18OCT2018	1000	17.22	3780	2.39	13	1.27	80	6.99	3910	13.58
18OCT2018	1100	17.23	3830	2.39	13	1.26	78	6.99	3910	13.62
18OCT2018	1200	17.21	3830	2.38	12	1.25	77	7.00	3910	13.66
18OCT2018	1300	17.21	3800	2.38	12	1.23	75	7.00	3910	13.67
18OCT2018	1400	17.23	3780	2.37	12	1.20	71	6.99	3910	13.70
18OCT2018	1500	17.23	3630	2.37	12	1.19	70	6.99	3910	13.73
18OCT2018	1600	17.22	3750	2.37	12	1.18	69	7.00	3910	13.76
18OCT2018	1700	17.21	3830	2.37	12	1.18	69	6.99	3910	13.76
18OCT2018	1800	17.20	3800	2.37	12	1.20	71	7.00	3910	13.73
18OCT2018	1900	17.21	3800	2.37	12	1.22	74	7.00	3910	13.71

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".

The Smithfield gage does not have official US Geological Survey stage-flow measurements. Therefore, flow values at Smithfield are only approximate and to be used with extreme caution.

Provisional Data for the Lower Neuse River (Part 1 from Falls Dam to Smithfield)
 Stage and Flow Data Sample Times are rounded off to the nearest hour

Date	Time	Neuse River Falls Gage		Walnut Creek Raleigh		Crabtree Ck at US1		Neuse River Clayton		Neuse River Smithfld
		Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)	Flow (CFS)	Stage (Feet)
18OCT2018	2000	17.20	3750	2.37	12	1.23	75	7.00	3910	13.71
18OCT2018	2100	17.19	3650	2.37	12	1.23	75	6.99	3910	13.72
18OCT2018	2200	17.18	3910	2.37	12	1.23	75	6.99	3910	13.72
18OCT2018	2300	17.18	3680	2.37	12	1.22	74	6.99	3910	13.71
18OCT2018	2400	17.19	3680	2.36	11	1.21	73	6.99	3910	13.72
19OCT2018	0100	17.17	3700	2.36	11	1.20	71	6.98	3900	13.73
19OCT2018	0200	17.17	3700	2.36	11	1.19	70	6.98	3900	13.72
19OCT2018	0300	17.17	3650	2.36	11	1.18	69	6.98	3900	13.72
19OCT2018	0400	17.16	3700	2.36	11	1.17	68	6.97	3890	13.74
19OCT2018	0500	17.17	3750	2.36	11	1.17	68	6.97	3890	13.75
19OCT2018	0600	17.16	3630	2.36	11	1.16	67	6.97	3890	13.75
19OCT2018	0700	17.16	3630	2.36	11	1.15	66	6.97	3890	13.75
19OCT2018	0800	17.15	3750	2.36	11	1.15	66	6.97	3890	13.76
19OCT2018	0900	17.08	3340	2.36	11	1.14	65	6.97	3890	13.75
19OCT2018	1000	16.73	3480	2.36	11	1.13	64	6.97	3890	13.76
19OCT2018	1100	15.71	2600	2.35	11	1.12	63	6.97	3890	13.77
19OCT2018	1200	15.24	2640	2.35	11	1.11	62	6.97	3890	13.80
19OCT2018	1300	14.95	2640	2.35	11	1.09	60	6.96	3880	13.82
19OCT2018	1400	14.74	2570	2.35	11	1.06	57	6.96	3880	13.82
19OCT2018	1500	13.41	1400	2.35	11	1.03	54	6.96	3880	13.82
19OCT2018	1600	12.73	1420	2.35	11	1.02	53	6.96	3880	13.83
19OCT2018	1700	12.27	1420	2.35	11	1.01	53	6.96	3880	13.83
19OCT2018	1800	11.94	1420	2.35	11	1.02	53	6.96	3880	13.81
19OCT2018	1900	11.69	1420	2.35	11	1.02	53	6.95	3880	13.79
19OCT2018	2000	11.50	1430	2.35	11	1.03	54	6.94	3870	13.77
19OCT2018	2100	11.37	1430	2.35	11	1.04	55	6.92	3850	13.76
19OCT2018	2200	11.27	1370	2.35	11	1.04	55	6.88	3820	13.77
19OCT2018	2300	11.21	1430	2.35	11	1.05	56	6.81	3770	13.77
19OCT2018	2400	11.15	1430	2.35	11	1.04	55	6.72	3700	13.76
20OCT2018	0100	11.13	1390	2.35	11	1.04	55	6.60	3610	13.74
20OCT2018	0200	11.10	1450	2.35	11	1.04	55	6.45	3500	13.73
20OCT2018	0300	11.09	1470	2.35	11	1.03	54	6.26	3360	13.71
20OCT2018	0400	11.09	1430	2.35	11	1.03	54	6.05	3210	13.69
20OCT2018	0500	11.10	1400	2.35	11	1.02	53	5.82	3040	13.64
20OCT2018	0600	11.08	1400	2.35	11	1.02	53	5.57	2860	13.58
20OCT2018	0700	11.08	1420	2.35	11	1.02	53	5.33	2690	13.49
20OCT2018	0800	11.07	1390	2.35	11	1.01	53	5.09	2520	13.39
20OCT2018	0900	11.08	1420	2.35	11	1.01	53	4.88	2370	13.25
20OCT2018	1000	11.08	1390	2.35	11	1.00	52	4.68	2240	13.08
20OCT2018	1100	11.08	1430	2.35	11	.98	50	4.52	2130	12.90
20OCT2018	1200	11.09	1390	2.35	11	.99	51	4.37	2030	12.70
20OCT2018	1300	11.09	1420	2.36	11	1.01	53	4.25	1950	12.48
20OCT2018	1400	11.09	1420	2.36	11	1.05	56	4.15	1880	12.24
20OCT2018	1500	11.09	1390	2.36	11	1.06	57	4.07	1830	12.01
20OCT2018	1600	11.09	1430	2.37	12	1.08	59	4.00	1780	11.76
20OCT2018	1700	11.09	1420	2.37	12	1.09	60	3.95	1750	11.51
20OCT2018	1800	11.10	1450	2.39	13	1.09	60	3.92	1730	11.28
20OCT2018	1900	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".

The Smithfield gage does not have official US Geological Survey stage-flow measurements. Therefore, flow values at Smithfield are only approximate and to be used with extreme caution.