

Provisional Data for the Philpott Lake Project and the Smith River Downstream  
 Stage and Flow Data Sample Times are rounded off to the nearest hour

| -----Smith River at----- |      |               |                |                |                 |           |           |                      |            |                         |                 |
|--------------------------|------|---------------|----------------|----------------|-----------------|-----------|-----------|----------------------|------------|-------------------------|-----------------|
| -----Philpott Dam-----   |      |               |                |                |                 |           |           |                      |            |                         |                 |
| Date                     | Time | Philpott Dam  |                |                |                 | Gross Gen | Rain fall | Smith River at       |            |                         |                 |
|                          |      | In-flow (CFS) | Out-flow (CFS) | HW Elev (Feet) | DCP Elev (Feet) |           |           | Bassett Stage (Feet) | Flow (CFS) | Martinsville Flow (CFS) | Eden Flow (CFS) |
| 17MAY2018                | 0600 | 30            | 30             | 974.54         | 974.42          | .34       | ?MISS     | 1.57                 | 98         | 682                     | 1200            |
| 17MAY2018                | 0700 | 871           | 164            | 974.56         | 974.43          | 1.26      | ?MISS     | 1.56                 | 95         | 571                     | 1240            |
| 17MAY2018                | 0800 | -90           | 617            | 974.54         | 974.43          | 7.44      | ?MISS     | 1.55                 | 92         | 480                     | 1270            |
| 17MAY2018                | 0900 | 620           | 620            | 974.54         | 974.41          | 7.47      | ?MISS     | 1.55                 | 92         | 778                     | 1290            |
| 17MAY2018                | 1000 | -86           | 621            | 974.52         | 974.40          | 7.48      | ?MISS     | 2.50                 | 501        | 609                     | 1290            |
| 17MAY2018                | 1100 | 621           | 621            | 974.52         | 974.39          | 7.48      | ?MISS     | 2.77                 | 655        | 594                     | 1240            |
| 17MAY2018                | 1200 | -85           | 622            | 974.50         | 974.39          | 7.49      | ?MISS     | 2.78                 | 661        | 594                     | 1170            |
| 17MAY2018                | 1300 | 645           | 645            | 974.50         | 974.37          | 7.79      | ?MISS     | 2.78                 | 661        | 586                     | 1080            |
| 17MAY2018                | 1400 | -62           | 645            | 974.48         | 974.37          | 7.79      | ?MISS     | 2.79                 | 667        | 579                     | 991             |
| 17MAY2018                | 1500 | -63           | 644            | 974.46         | 974.35          | 7.78      | ?MISS     | 2.81                 | 679        | 579                     | 949             |
| 17MAY2018                | 1600 | 645           | 645            | 974.46         | 974.34          | 7.79      | ?MISS     | 2.82                 | 686        | 579                     | 970             |
| 17MAY2018                | 1700 | -63           | 644            | 974.44         | 974.32          | 7.76      | ?MISS     | 2.82                 | 686        | 99                      | 977             |
| 17MAY2018                | 1800 | 621           | 621            | 974.44         | 974.31          | 7.47      | ?MISS     | 2.81                 | 679        | 212                     | 956             |
| 17MAY2018                | 1900 | -85           | 622            | 974.42         | 974.31          | 7.47      | ?MISS     | 2.79                 | 667        | 535                     | 928             |
| 17MAY2018                | 2000 | 622           | 622            | 974.42         | 974.30          | 7.48      | ?MISS     | 2.78                 | 661        | 707                     | 914             |
| 17MAY2018                | 2100 | -86           | 621            | 974.40         | 974.29          | 7.47      | ?MISS     | 2.77                 | 655        | 778                     | 900             |
| 17MAY2018                | 2200 | 621           | 621            | 974.40         | 974.29          | 7.47      | ?MISS     | 2.78                 | 661        | 806                     | 886             |
| 17MAY2018                | 2300 | 49            | 49             | 974.40         | 974.29          | .45       | ?MISS     | 2.79                 | 667        | 815                     | 845             |
| 17MAY2018                | 2400 | 738           | 31             | 974.42         | 974.30          | .34       | ?MISS     | 2.62                 | 568        | 806                     | 754             |
| 18MAY2018                | 0100 | 31            | 31             | 974.42         | 974.30          | .34       | ?MISS     | 2.25                 | 372        | 796                     | 648             |
| 18MAY2018                | 0200 | 30            | 30             | 974.42         | 974.31          | .33       | ?MISS     | 1.93                 | 228        | 796                     | 566             |
| 18MAY2018                | 0300 | 30            | 30             | 974.42         | 974.31          | .33       | ?MISS     | 1.73                 | 151        | 796                     | 680             |
| 18MAY2018                | 0400 | 737           | 30             | 974.44         | 974.32          | .33       | ?MISS     | 1.63                 | 117        | 760                     | 942             |
| 18MAY2018                | 0500 | 30            | 30             | 974.44         | 974.32          | .33       | ?MISS     | 1.59                 | 104        | 665                     | 1060            |
| 18MAY2018                | 0600 | 31            | 31             | 974.44         | 974.33          | .34       | ?MISS     | 1.58                 | 101        | 564                     | 1090            |
| 18MAY2018                | 0700 | 1578          | 165            | 974.48         | 974.36          | 1.27      | ?MISS     | 1.58                 | 101        | 473                     | 1100            |
| 18MAY2018                | 0800 | 619           | 619            | 974.48         | 974.36          | 7.45      | ?MISS     | 1.59                 | 104        | 410                     | 1100            |
| 18MAY2018                | 0900 | 622           | 622            | 974.48         | 974.36          | 7.49      | ?MISS     | 1.61                 | 111        | 733                     | 1110            |
| 18MAY2018                | 1000 | 621           | 621            | 974.48         | 974.36          | 7.49      | ?MISS     | 2.75                 | 643        | 601                     | 1110            |
| 18MAY2018                | 1100 | 621           | 621            | 974.48         | 974.35          | 7.48      | ?MISS     | 2.86                 | 710        | 594                     | 1070            |
| 18MAY2018                | 1200 | -86           | 621            | 974.46         | 974.34          | 7.48      | ?MISS     | 2.86                 | 710        | 594                     | 1030            |
| 18MAY2018                | 1300 | 646           | 646            | 974.46         | 974.34          | 7.79      | ?MISS     | 2.87                 | 716        | 586                     | 984             |
| 18MAY2018                | 1400 | 645           | 645            | 974.46         | 974.34          | 7.79      | ?MISS     | 2.91                 | 741        | 601                     | 949             |
| 18MAY2018                | 1500 | 644           | 644            | 974.46         | 974.34          | 7.78      | ?MISS     | 2.95                 | 766        | 586                     | 1030            |
| 18MAY2018                | 1600 | 645           | 645            | 974.46         | 974.34          | 7.79      | ?MISS     | 2.95                 | 766        | 769                     | 1150            |
| 18MAY2018                | 1700 | 1351          | 644            | 974.48         | 974.35          | 7.78      | ?MISS     | 3.00                 | 798        | 3710                    | 1340            |
| 18MAY2018                | 1800 | 1329          | 622            | 974.50         | 974.38          | 7.50      | ?MISS     | 3.14                 | 908        | 5110                    | 3300            |
| 18MAY2018                | 1900 | 1329          | 622            | 974.52         | 974.39          | 7.50      | ?MISS     | 3.20                 | 957        | 4430                    | 5980            |
| 18MAY2018                | 2000 | 621           | 621            | 974.52         | 974.40          | 7.48      | ?MISS     | 3.57                 | 1280       | 5000                    | 11400           |
| 18MAY2018                | 2100 | 620           | 620            | 974.52         | 974.41          | 7.47      | ?MISS     | 4.36                 | 1810       | 5660                    | 13600           |
| 18MAY2018                | 2200 | 2036          | 623            | 974.56         | 974.44          | 7.51      | ?MISS     | 5.13                 | 2300       | 6200                    | 14800           |
| 18MAY2018                | 2300 | 1462          | 49             | 974.60         | 974.47          | .45       | ?MISS     | 5.01                 | 2220       | 6710                    | 14800           |
| 18MAY2018                | 2400 | 1578          | 165            | 974.64         | 974.51          | 1.28      | ?MISS     | 4.04                 | 1610       | 6890                    | 14200           |
| 19MAY2018                | 0100 | 1327          | 620            | 974.66         | 974.55          | 7.45      | ?MISS     | 3.17                 | 932        | 6760                    | 13300           |
| 19MAY2018                | 0200 | 1329          | 622            | 974.68         | 974.57          | 7.49      | ?MISS     | 3.05                 | 837        | 6320                    | 12500           |
| 19MAY2018                | 0300 | 1329          | 622            | 974.70         | 974.59          | 7.48      | ?MISS     | 3.48                 | 1200       | 5520                    | 12000           |
| 19MAY2018                | 0400 | 1329          | 622            | 974.72         | 974.61          | 7.49      | ?MISS     | 3.40                 | 1130       | 4550                    | 11600           |
| 19MAY2018                | 0500 | 1329          | 622            | 974.74         | 974.62          | 7.50      | ?MISS     | 3.30                 | 1040       | 3690                    | 11200           |

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy  
 nor the dependability of the above data. Data is provided "as is".

\*\*\*\*\*

Provisional Data for the Philpott Lake Project and the Smith River Downstream

Stage and Flow Data Sample Times are rounded off to the nearest hour

-----Smith River at-----

| Date      | Time | -----Philpott Dam----- |                       |                      |                       |                       |                      | -----Smith River at-----   |               |                                    |                       |
|-----------|------|------------------------|-----------------------|----------------------|-----------------------|-----------------------|----------------------|----------------------------|---------------|------------------------------------|-----------------------|
|           |      | In-<br>flow<br>(CFS)   | Out-<br>flow<br>(CFS) | HW<br>Elev<br>(Feet) | DCP<br>Elev<br>(Feet) | Gross<br>Gen<br>(MWH) | Rain<br>fall<br>(IN) | Bassett<br>Stage<br>(Feet) | Flow<br>(CFS) | Martins-<br>ville<br>Flow<br>(CFS) | Eden<br>Flow<br>(CFS) |
| 19MAY2018 | 0600 | 1327                   | 620                   | 974.76               | 974.64                | 7.46                  | ?MISS                | 3.24                       | 990           | 3080                               | 10500                 |
| 19MAY2018 | 0700 | 1327                   | 620                   | 974.78               | 974.66                | 7.47                  | ?MISS                | 3.19                       | 949           | 2690                               | 9720                  |
| 19MAY2018 | 0800 | 621                    | 621                   | 974.78               | 974.67                | 7.48                  | ?MISS                | 3.15                       | 916           | 2430                               | 8630                  |
| 19MAY2018 | 0900 | 1327                   | 620                   | 974.80               | 974.68                | 7.47                  | ?MISS                | 3.11                       | 884           | 2270                               | 7380                  |
| 19MAY2018 | 1000 | 621                    | 621                   | 974.80               | 974.69                | 7.48                  | ?MISS                | 3.10                       | 876           | 2130                               | 6160                  |
| 19MAY2018 | 1100 | 2032                   | 619                   | 974.84               | 974.72                | 7.46                  | ?MISS                | 3.08                       | 860           | 2020                               | 5130                  |
| 19MAY2018 | 1200 | 620                    | 620                   | 974.84               | 974.73                | 7.47                  | ?MISS                | 3.07                       | 852           | 1920                               | 4400                  |
| 19MAY2018 | 1300 | 1329                   | 622                   | 974.86               | 974.74                | 7.49                  | ?MISS                | 3.06                       | 845           | 1820                               | 3900                  |
| 19MAY2018 | 1400 | 1351                   | 644                   | 974.88               | 974.76                | 7.78                  | ?MISS                | 3.05                       | 837           | 1760                               | 3560                  |
| 19MAY2018 | 1500 | 1349                   | 642                   | 974.90               | 974.77                | 7.76                  | ?MISS                | 3.06                       | 845           | 1740                               | 3300                  |
| 19MAY2018 | 1600 | 643                    | 643                   | 974.90               | 974.78                | 7.77                  | ?MISS                | 3.10                       | 876           | 1790                               | 3100                  |
| 19MAY2018 | 1700 | 643                    | 643                   | 974.90               | 974.79                | 7.77                  | ?MISS                | 3.15                       | 916           | 1830                               | 2940                  |
| 19MAY2018 | 1800 | 1351                   | 644                   | 974.92               | 974.80                | 7.78                  | ?MISS                | 3.15                       | 916           | 1790                               | 2820                  |
| 19MAY2018 | 1900 | 642                    | 642                   | 974.92               | 974.81                | 7.76                  | ?MISS                | 3.13                       | 900           | 1720                               | 2720                  |
| 19MAY2018 | 2000 | 620                    | 620                   | 974.92               | 974.81                | 7.46                  | ?MISS                | 3.10                       | 876           | 1660                               | 2650                  |
| 19MAY2018 | 2100 | 2740                   | 620                   | 974.98               | 974.85                | 7.47                  | ?MISS                | 3.05                       | 837           | 1610                               | 2640                  |
| 19MAY2018 | 2200 | 619                    | 619                   | 974.98               | 974.87                | 7.46                  | ?MISS                | 3.14                       | 908           | 1560                               | 2600                  |
| 19MAY2018 | 2300 | 4192                   | 620                   | 975.08               | 974.97                | 7.47                  | ?MISS                | 4.07                       | 1630          | 1520                               | 2540                  |
| 19MAY2018 | 2400 | 3484                   | 618                   | 975.16               | 975.04                | 7.46                  | ?MISS                | 6.93                       | 3570          | 1480                               | 2460                  |
| 20MAY2018 | 0100 | 1333                   | 617                   | 975.18               | 975.06                | 7.44                  | ?MISS                | 7.18                       | 3860          | 1660                               | 2380                  |
| 20MAY2018 | 0200 | 1339                   | 623                   | 975.20               | 975.08                | 7.51                  | ?MISS                | 7.20                       | 3880          | 3470                               | 2310                  |
| 20MAY2018 | 0300 | 1336                   | 620                   | 975.22               | 975.11                | 7.49                  | ?MISS                | 5.93                       | 2840          | 5030                               | 2240                  |
| 20MAY2018 | 0400 | 2054                   | 621                   | 975.26               | 975.16                | 7.49                  | ?MISS                | 4.85                       | 2120          | 6860                               | 2190                  |
| 20MAY2018 | 0500 | 2052                   | 619                   | 975.30               | 975.19                | 7.47                  | ?MISS                | 4.29                       | 1770          | 9390                               | 2190                  |
| 20MAY2018 | 0600 | 2053                   | 620                   | 975.34               | 975.22                | 7.48                  | ?MISS                | 3.97                       | 1550          | 11200                              | 3190                  |
| 20MAY2018 | 0700 | 1335                   | 619                   | 975.36               | 975.25                | 7.48                  | ?MISS                | 3.76                       | 1430          | 11600                              | 5650                  |
| 20MAY2018 | 0800 | 2053                   | 620                   | 975.40               | 975.27                | 7.48                  | ?MISS                | 3.62                       | 1320          | 10400                              | 7850                  |
| 20MAY2018 | 0900 | 1335                   | 619                   | 975.42               | 975.30                | 7.47                  | ?MISS                | 3.50                       | 1210          | 8230                               | 9720                  |
| 20MAY2018 | 1000 | 619                    | 619                   | 975.42               | 975.31                | 7.47                  | ?MISS                | 3.42                       | 1140          | 6250                               | 11000                 |
| 20MAY2018 | 1100 | 1335                   | 619                   | 975.44               | 975.33                | 7.48                  | ?MISS                | 3.34                       | 1070          | 5280                               | 11600                 |
| 20MAY2018 | 1200 | 1358                   | 642                   | 975.46               | 975.34                | 7.78                  | ?MISS                | 3.28                       | 1020          | 3370                               | 11500                 |
| 20MAY2018 | 1300 | 642                    | 642                   | 975.46               | 975.35                | 7.78                  | ?MISS                | 3.24                       | 990           | 3070                               | 10600                 |
| 20MAY2018 | 1400 | 643                    | 643                   | 975.46               | 975.36                | 7.78                  | ?MISS                | 3.21                       | 965           | 2730                               | 9270                  |
| 20MAY2018 | 1500 | 1359                   | 643                   | 975.48               | 975.37                | 7.79                  | ?MISS                | 3.18                       | 940           | 2460                               | 7690                  |
| 20MAY2018 | 1600 | 643                    | 643                   | 975.48               | 975.37                | 7.79                  | ?MISS                | 3.14                       | 908           | 2290                               | 6140                  |
| 20MAY2018 | 1700 | 644                    | 644                   | 975.48               | 975.38                | 7.79                  | ?MISS                | 3.11                       | 884           | 2150                               | 4880                  |
| 20MAY2018 | 1800 | 644                    | 644                   | 975.48               | 975.38                | 7.80                  | ?MISS                | 3.09                       | 868           | 2040                               | 4020                  |
| 20MAY2018 | 1900 | 1360                   | 644                   | 975.50               | 975.38                | 7.80                  | ?MISS                | 3.07                       | 852           | 1940                               | 3530                  |
| 20MAY2018 | 2000 | 620                    | 620                   | 975.50               | 975.39                | 7.48                  | ?MISS                | 3.05                       | 837           | 1870                               | 3230                  |
| 20MAY2018 | 2100 | 620                    | 620                   | 975.50               | 975.38                | 7.48                  | ?MISS                | 3.02                       | 814           | 1780                               | 3000                  |
| 20MAY2018 | 2200 | 619                    | 619                   | 975.50               | 975.39                | 7.48                  | ?MISS                | 2.99                       | 792           | 1720                               | 2810                  |
| 20MAY2018 | 2300 | 619                    | 619                   | 975.50               | 975.39                | 7.47                  | ?MISS                | 2.97                       | 779           | 1640                               | 2640                  |
| 20MAY2018 | 2400 | 619                    | 619                   | 975.50               | 975.39                | 7.47                  | ?MISS                | 2.97                       | 779           | 1570                               | 2520                  |
| 21MAY2018 | 0100 | 620                    | 620                   | 975.50               | 975.39                | 7.48                  | ?MISS                | 2.96                       | 773           | 1510                               | 2400                  |
| 21MAY2018 | 0200 | 617                    | 617                   | 975.50               | 975.39                | 7.46                  | ?MISS                | 2.95                       | 766           | 1460                               | 2310                  |
| 21MAY2018 | 0300 | 622                    | 622                   | 975.50               | 975.39                | 7.52                  | ?MISS                | 2.95                       | 766           | 1410                               | 2220                  |
| 21MAY2018 | 0400 | 619                    | 619                   | 975.50               | ?MISST                | 7.48                  | ?MISS                | 2.94                       | 760           | 1330                               | 2140                  |
| 21MAY2018 | 0500 | ?MISS                  | 0                     | ?MISST               | ?MISST                | 0.00                  | ?MISS                | ?MISS                      | ?MISS         | ?MISS                              | ?MISS                 |

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy  
nor the dependability of the above data. Data is provided "as is".