CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JANUARY 1966

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	302'	1,572,500 AC.FT.
FULL FLOOD CONTROL POOL	320'	2790300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9. P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (19 AUG 64)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JANUARY 1966

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (19 AUG 64)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1	777400 AC.FT.
TOP OF POWER POOL	300	1,538000 AC.FT.
FULL FLOOD CONTROL POOL	320	2,750300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (19 AUG 64)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF FEBRUARY 1966

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (19 AUG 64)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC. FT.
TOP OF POWER POOL	300'	1,472,300 AC. FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC. FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF APRIL 1966

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF APRIL 1966

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MAY 1966

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MAY 1966

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JUNE 1966

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JULY 1966

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF AUGUST 1966

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	126,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF **AUGUST** 19**66**

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 2 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF SEPTEMBER 1966

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,500 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO F.T. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	--
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF OCTOBER 1966

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC. FT.
TOP OF POWER POOL	300'	1,472,300 AC. FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC. FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9. P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF OCTOBER 1966

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF NOVEMBER 1966

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777,400 AC. FT.
TOP OF POWER POOL	300'	1,472,300 AC. FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC. FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF NOVEMBER 1966

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 2 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF DECEMBER 19 66

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777,400 AC. FT.
TOP OF POWER POOL	300'	1,472,300 AC. FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC. FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9. P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF DECEMBER 1966

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 2 OF 2