CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JANUARY 1969

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C	133.6	43.83	—
WELDON, N. C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF FEBRUARY 19 69

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC. FT.
TOP OF POWER POOL	300'	1,472,300 AC. FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC. FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MARCH 1969

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777,400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 2 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF APRIL 19 69

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC. FT.
TOP OF POWER POOL	300'	1,472,300 AC. FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC. FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF APRIL 1969

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MAY 19 69

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MAY 1969

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JUNE 1969

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC. FT.
TOP OF POWER POOL	300'	1,472,300 AC. FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC. FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JULY 1969

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 2 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF AUGUST 1969

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF AUGUST 19 69

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF SEPTEMBER 1969

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF OCTOBER 1969

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9. P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF OCTOBER 1969

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF NOVEMBER 1969

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC.FT.
TOP OF POWER POOL	300'	1,472,300 AC.FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC.FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF NOVEMBER 1969

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 2 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF DECEMBER 1969

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	282.1'	777400 AC. FT.
TOP OF POWER POOL	300'	1,472,300 AC. FT.
FULL FLOOD CONTROL POOL	320'	2,750,300 AC. FT.

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
WELDON, N.C.	130.0	16.06	31
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)