CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF JANUARY 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, O.P.F.) | 38,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 22 FEB 71

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | - 2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF FEBRUARY 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, O.S. P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 22 FEB 71

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | -2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF MARCH 19 72

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 55,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | -2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, O.P.P.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | -2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF MAY 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 282.1' | 777400 AC. FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC. FT. |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC. FT. |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9. P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF MAY 1972

| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | - 2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF JUNE 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 282.1' | 777,600 AC.FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC.FT. |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC.FT. |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF JUNE 1972

| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | - 2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 2 OF 2

CORPS OF ENGINEERS

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF JULY 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC.FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC.FT. |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC.FT. |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 38,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW 112 (29 MAR 66)

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | - 2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF AUGUST 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | -2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF JULY 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC.FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC.FT. |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC.FT. |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW-112 (29 MAR 66)

SHEET 1 OF 2

CORPS OF ENGINEERS

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF SEPTEMBER 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 761,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 36,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR
## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 22 FEB 71

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF SEPTEMBER 1972

| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO F.T. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | -2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF OCTOBER 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 781,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF OCTOBER 1972

| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | - 2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF SEPTEMBER 19 72

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF NOVEMBER 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF NOVEMBER 1972

| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | - 2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF DECEMBER 1972

| | ELEVATION | GROSS STORAGE |
|---|---|---|
| BOTTOM OF POWER POOL | 281.2' | 751,440 AC-FT. |
| TOP OF POWER POOL | 300' | 1,472,300 AC-FT |
| FULL FLOOD CONTROL POOL | 320' | 2,750,300 AC-FT |

OUTLET CAPACITY AT TOP OF POWER POOL

| | |
|---|---|
| SLUICES | 19,000 C.F.S. |
| SPILLWAY (GATED) | 128,000 C.F.S. |
| TURBINES (15% OVERLOAD, 0.9 P.F.) | 35,000 C.F.S. |

# MONTHLY RESERVOIR REGULATION

## JOHN H. KERR RESERVOIR

## ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6




MONTH OF DECEMBER 1972

| STATION | RIVER MILES ABOVE MOUTH | GAGE ZERO FT. M.S.L. | U.S.W.B. FLOOD STAGE |
|---|---|---|---|
| KERR DAM | 178.7 | — | — |
| ROANOKE RAPIDS, N.C. | 133.6 | 43.83 | — |
| WELDON, N.C. | 130.0 | 16.06 | 31 |
| SCOTLAND NECK, N.C. | 102.5 | 5.77 | 28 |
| WILLIAMSTON, N.C. | 37.5 | - 2.75 | 10 |

# MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT