CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JANUARY 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293	1,153,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, O.S.P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO F.C.M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.93	—
SCOTLAND NECK, N.C.	102.5	5.77	23
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7300 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF FEBRUARY 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (13% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF FEBRUARY 1974

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	25
WILLIAMSTON, N.C.	37.5	-2.75	10

Released 10 MAY 1974

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS U.S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MARCH 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	295	1,158,800 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	13,200 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, O.P.F.)	33,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7300 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MARCH 1974

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.5	43.33	—
SCOTLAND NECK, N.C.	102.5	3.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7200 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF APRIL 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	38,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF APRIL 1974

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MAY 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,760,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MAY 1974

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JUNE 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,780,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, O.S.P.F.)	39,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JUNE 1974

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	29
WILLIAMSTON, N.C.	37.5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARM

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JULY 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293'	1,158,800 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	18,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (13% OVERLOAD, 0.9 P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF AUGUST 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	18,000 C.F.S.
SPILLWAY (GATED)	123,000 C.F.S.
TURBINES (15% OVERLOAD, O.P. P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT



MONTH OF SEPTEMBER 19 74

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, O.P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT M S L	U S W B FLOOD STAGE
KERR DAM	178.7	—	--
ROANOKE RAPIDS, N C	133.6	43.83	—
SCOTLAND NECK, N C	102 5	5 77	28
WILLIAMSTON, N C	37 5	- 2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF OCTOBER 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293	1,158,000 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, O.S.P.F.)	38,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO F.E.M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	--	--
ROANOKE RAPIDS, N.C.	133.6	43.83	--
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF NOVEMBER 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, O.S. P.F.)	35,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW FORM 112 22 FEB 71

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF NOVEMBER 1974

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	--
ROANOKE RAPIDS, N.C.	133.6	43.83	--
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF DECEMBER 1974

	ELEVATION	GROSS STORAGE
BOTTOM OF POWER POOL	293	1,158,800 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 C.F.S.
SPILLWAY (GATED)	128,000 C.F.S.
TURBINES (15% OVERLOAD, 0.9 P.F.)	38,000 C.F.S.

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 22 FEB 71

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO F.T.M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	--
ROANOKE RAPIDS, N.C.	133.6	43.83	--
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR

ROANOKE RIVER BASIN

D.A. 7800 SQ. MILES

SOUTH ATLANTIC DIVISION

WILMINGTON DISTRICT

SAW FORM 112 22 FEB 71

SHEET 2 OF 2