CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JANUARY 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15 % OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 MAY 76

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JAN. 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF FEB. 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15 % OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 MAY 76

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF FEB. 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B. FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MARCH 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15 % OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 MAY 76

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MARCH 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT M.S.L	U.S.W.B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF APRIL 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15% OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 MAY 76

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF APRIL 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U S W B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MAY 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15 % OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 MAY 76

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF MAY 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U S W B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JUNE 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15% OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 MAY 76

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JUNE 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U S W B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JULY 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15% OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 MAY 76

SHEET 1 OF 2

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF JULY 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U S W B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF AUG. 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15 % OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 MAY 76

SHEET 1 OF 2

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF AUG. 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U S W B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF SEP. 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15% OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT



MONTH OF SEP. 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF OCT. 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15% OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF OCT. 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

SHEET 2 OF 2

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF NOV. 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15% OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF NOV. 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75

SHEET 2 OF 2

CORPS OF ENGINEERS U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW - E - 6



MONTH OF DEC. 1982

	ELEVATION	GROSS STG
BOTTOM OF POWER POOL	293'	1,158,600 AC-FT
TOP OF POWER POOL	300'	1,472,300 AC-FT
FULL FLOOD CONTROL POOL	320'	2,750,300 AC-FT

OUTLET CAPACITY AT TOP OF POWER POOL

SLUICES	19,000 CFS
SPILLWAY (GATED)	128,000 CFS
TURBINES (0.9 P.F., 15 % OVERLOAD)	35,000 CFS

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN

D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

CORPS OF ENGINEERS

U. S. ARMY

REPORTS CONTROL SYMBOL ENGCW-E-6



MONTH OF DEC. 1982

STATION	RIVER MILES ABOVE MOUTH	GAGE ZERO FT. M.S.L.	U.S.W.B FLOOD STAGE
KERR DAM	178.7	—	—
ROANOKE RAPIDS, N.C.	133.6	43.83	—
SCOTLAND NECK, N.C.	102.5	5.77	28
WILLIAMSTON, N.C.	37.5	-2.75	10

MONTHLY RESERVOIR REGULATION

JOHN H. KERR RESERVOIR
ROANOKE RIVER BASIN
D.A. 7800 SQ MILES

SOUTH ATLANTIC DIVISION
WILMINGTON DISTRICT

SAW FORM 112 4 AUG 75