

Provisional Stage and Flow Data for the Dan, Mayo, Smith and Banister Rivers
 Times are rounded off to the nearest hour

		Mayo Smith River					-----Dan River at-----				Banister River	
		Price	Eden	cisco	Wentworth	Danville	Paces			Halifax		
		at 242	at 538	at 129	1035	2105	2550			547		
Drain Areas, sq mi=												
Date	Time	Flow (CFS)	Flow (CFS)	Flow (CFS)	Stage (ft)	Flow (CFS)	Stage (Ft)	Flow (CFS)	Stage (Ft)	Flow (CFS)	Flow (CFS)	
10JUN2021	2100	416	321	211	2.63	1150	6.20	2030	4.67	2150	383	
10JUN2021	2200	420	311	204	2.63	1150	6.20	2030	4.67	2150	386	
10JUN2021	2300	430	306	198	2.67	1170	6.20	2030	4.73	2190	390	
10JUN2021	2400	430	311	195	2.66	1170	6.21	2040	4.76	2220	394	
11JUN2021	0100	420	311	192	2.67	1170	6.21	2040	4.78	2230	394	
11JUN2021	0200	412	316	189	2.67	1170	6.21	2040	4.79	2240	394	
11JUN2021	0300	403	331	185	2.67	1170	6.21	2040	4.80	2240	396	
11JUN2021	0400	394	388	182	2.70	1190	6.20	2030	4.80	2240	394	
11JUN2021	0500	390	476	179	2.73	1210	6.18	2010	4.79	2240	392	
11JUN2021	0600	386	541	179	2.79	1250	6.16	1990	4.79	2240	390	
11JUN2021	0700	381	578	179	2.84	1290	6.14	1960	4.79	2240	386	
11JUN2021	0800	377	590	179	2.89	1320	6.12	1940	4.79	2240	384	
11JUN2021	0900	377	597	179	2.89	1320	6.10	1920	4.80	2240	383	
11JUN2021	1000	373	603	179	2.90	1330	6.08	1900	4.81	2250	379	
11JUN2021	1100	373	603	182	2.87	1310	6.07	1880	4.81	2250	377	
11JUN2021	1200	369	603	182	2.84	1290	6.05	1860	4.82	2260	375	
11JUN2021	1300	369	603	179	2.79	1250	6.04	1850	4.82	2260	373	
11JUN2021	1400	369	603	170	2.77	1240	6.03	1840	4.81	2250	369	
11JUN2021	1500	377	609	162	2.74	1220	6.05	1860	4.80	2240	367	
11JUN2021	1600	373	603	159	2.77	1240	6.05	1860	4.79	2240	365	
11JUN2021	1700	369	603	159	2.83	1280	6.07	1880	4.77	2220	363	
11JUN2021	1800	365	609	165	2.99	1390	6.09	1910	4.73	2190	363	
11JUN2021	1900	365	603	162	3.29	1610	6.13	1950	4.70	2170	361	
11JUN2021	2000	365	609	198	3.60	1850	6.17	2000	4.65	2140	361	
11JUN2021	2100	381	628	234	3.69	1920	6.22	2060	4.62	2120	359	
11JUN2021	2200	390	654	227	3.66	1890	6.28	2130	4.60	2100	357	
11JUN2021	2300	416	687	238	3.53	1790	6.37	2240	4.59	2090	357	
11JUN2021	2400	472	727	262	3.45	1730	6.47	2370	4.58	2090	356	
12JUN2021	0100	524	727	292	3.41	1700	6.55	2470	4.58	2090	356	
12JUN2021	0200	627	727	453	3.40	1690	6.60	2540	4.58	2090	354	
12JUN2021	0300	651	747	403	3.49	1760	6.63	2580	4.60	2100	354	
12JUN2021	0400	710	761	373	3.64	1880	6.64	2590	4.64	2130	354	
12JUN2021	0500	717	775	343	3.79	1990	6.66	2620	4.70	2170	354	
12JUN2021	0600	703	831	311	3.88	2060	6.70	2680	4.79	2240	354	
12JUN2021	0700	792	918	292	3.97	2120	6.79	2810	4.86	2290	352	
12JUN2021	0800	837	987	277	4.14	2250	6.90	2970	4.96	2360	352	
12JUN2021	0900	837	1040	270	4.33	2390	7.02	3150	5.14	2490	352	
12JUN2021	1000	816	1050	262	4.47	2500	7.19	3430	5.24	2570	350	
12JUN2021	1100	780	1020	252	4.49	2510	7.20	3440	5.34	2650	350	
12JUN2021	1200	731	970	245	4.45	2480	7.18	3410	5.38	2680	350	
12JUN2021	1300	677	932	238	4.36	2410	7.16	3380	5.40	2690	350	
12JUN2021	1400	633	903	234	4.32	2380	7.14	3340	5.58	2830	350	
12JUN2021	1500	602	874	231	4.26	2340	7.12	3310	5.68	2910	350	
12JUN2021	1600	573	852	224	4.21	2300	7.12	3310	5.82	3020	352	
12JUN2021	1700	551	831	221	4.17	2270	7.14	3340	5.95	3130	356	
12JUN2021	1800	529	809	217	4.13	2240	7.16	3380	6.07	3230	361	
12JUN2021	1900	518	795	221	4.06	2190	7.20	3440	6.18	3320	369	
12JUN2021	2000	503	782	234	4.01	2150	7.24	3510	6.26	3390	381	

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".

Provisional Stage and Flow Data for the Dan, Mayo, Smith and Banister Rivers
 Times are rounded off to the nearest hour

Drain Areas, Date	sq mi= Time	Mayo Smith River				-----Dan River at-----				Banister River at	
		Price at	Eden at	Fran- cisco	Wentworth Stage	Danville Flow	Danville Stage	Paces Flow	Paces Stage	Halifax Flow	Halifax Flow
		242 (CFS)	538 (CFS)	129 (CFS)	1035 (ft)	2105 (CFS)	2105 (Ft)	2550 (CFS)	2550 (Ft)	547 (CFS)	547 (CFS)
12JUN2021	2100	492	768	234	3.94	2100	7.28	3580	6.32	3440	394
12JUN2021	2200	482	754	234	3.85	2040	7.30	3610	6.35	3460	410
12JUN2021	2300	472	747	224	3.76	1970	7.32	3650	6.38	3490	424
12JUN2021	2400	467	740	224	3.66	1890	7.32	3650	6.39	3500	439
13JUN2021	0100	458	727	221	3.53	1790	7.30	3610	6.40	3500	453
13JUN2021	0200	453	720	224	3.44	1720	7.28	3580	6.41	3510	466
13JUN2021	0300	443	713	231	3.39	1690	7.25	3530	6.43	3530	476
13JUN2021	0400	439	713	227	3.31	1630	7.22	3480	6.46	3550	482
13JUN2021	0500	434	707	227	3.26	1590	7.19	3430	6.46	3550	485
13JUN2021	0600	430	693	224	3.19	1540	7.15	3360	6.51	3600	489
13JUN2021	0700	425	687	221	3.14	1500	7.12	3310	6.53	3610	489
13JUN2021	0800	420	680	217	3.10	1470	7.08	3250	6.56	3640	489
13JUN2021	0900	416	674	214	3.06	1440	7.04	3180	6.58	3660	485
13JUN2021	1000	416	667	211	3.01	1410	6.84	2880	6.58	3660	480
13JUN2021	1100	412	661	211	2.97	1380	7.00	3120	6.58	3660	476
13JUN2021	1200	407	654	211	2.94	1360	6.97	3070	6.57	3650	470
13JUN2021	1300	407	654	211	2.91	1340	6.91	2980	6.55	3630	466
13JUN2021	1400	403	648	208	2.87	1310	6.85	2890	6.53	3610	459
13JUN2021	1500	403	648	208	2.87	1310	6.80	2820	6.51	3600	453
13JUN2021	1600	398	641	201	2.85	1300	6.75	2750	6.42	3520	447
13JUN2021	1700	394	641	198	2.82	1280	6.71	2690	6.29	3410	443
13JUN2021	1800	394	641	195	2.81	1270	6.68	2650	6.22	3350	437
13JUN2021	1900	391	635	185	2.80	1260	6.65	2610	6.17	3310	428
13JUN2021	2000	391	635	173	2.78	1250	6.62	2570	6.12	3270	424
13JUN2021	2100	386	628	173	2.77	1240	6.60	2540	6.06	3220	420
13JUN2021	2200	386	628	173	2.76	1230	6.57	2500	6.00	3170	414
13JUN2021	2300	474	622	182	2.75	1230	6.55	2470	5.94	3120	410
13JUN2021	2400	1880	622	185	2.73	1210	6.52	2430	5.88	3070	406
14JUN2021	0100	2150	622	198	2.73	1210	6.51	2420	5.82	3020	402
14JUN2021	0200	2410	616	227	2.76	1230	6.49	2390	5.76	2980	398
14JUN2021	0300	2350	616	224	2.80	1260	6.47	2370	5.69	2920	394
14JUN2021	0400	2260	622	214	2.81	1270	6.45	2340	5.64	2880	392
14JUN2021	0500	2020	622	208	2.98	1390	6.44	2330	5.62	2860	388
14JUN2021	0600	1850	641	204	3.85	2040	6.42	2300	5.58	2830	384
14JUN2021	0700	1690	713	204	4.94	2860	6.41	2290	5.57	2830	383
14JUN2021	0800	1560	859	208	5.57	3360	6.39	2260	5.44	2720	381
14JUN2021	0900	1430	979	201	5.78	3520	6.38	2250	5.36	2660	377
14JUN2021	1000	1320	1030	198	5.74	3490	6.26	2100	5.33	2640	375
14JUN2021	1100	1200	1030	192	5.59	3370	6.34	2200	5.28	2600	375
14JUN2021	1200	1100	1000	182	5.42	3240	6.03	1840	5.23	2560	373
14JUN2021	1300	1020	970	170	5.25	3100	5.35	1190	5.20	2540	371
14JUN2021	1400	945	947	162	5.08	2970	5.51	1320	5.17	2520	367
14JUN2021	1500	880	940	159	4.91	2840	5.93	1730	5.14	2490	365
14JUN2021	1600	824	925	159	4.76	2720	6.18	2010	5.10	2460	363
14JUN2021	1700	776	888	176	4.59	2590	6.34	2200	5.06	2430	361
14JUN2021	1800	733	852	176	4.43	2470	6.59	2530	5.02	2410	359
14JUN2021	1900	706	817	179	4.27	2350	?MISS	?MISS	?MISS	?MISS	357
14JUN2021	2000	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS	?MISS

Note: ?MIS, ?MISS, and values of -99 indicate missing data

The Wilmington District assumes no responsibility for the accuracy nor the dependability of the above data. Data is provided "as is".